



SAFETY DATA SHEET

Issue Date 27-Jul-2015

Revision Date 15-Mar-2017

Version 1

1. IDENTIFICATION

Product identifier

Product Name XOLB-502 COLUMBIA BLUE

Other means of identification

Product Code XOL502
Synonyms XOL50201, XOL50203, XOL50204, XOL50205, XOL50207, XOL50208, XOL50209, XOL50210, XOL50212, XOL50213, XOL50214, XOL50215, XOL50216, XOL50217, XOL50219, XOL50220, XOL50221, XOL50222, XOL50223, XOL50233, XOL50235, XOL50255

Recommended use of the chemical and restrictions on use

Recommended Use Textile ink. Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rutland Group
10021 Rodney Street
Pineville, NC 28134
Tel: 704-553-0046

E-mail address product_safety@rutlandinc.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity

67.6% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------|------------|----------|--------------|
| PVC HOMOPOLYMER RESIN | 9002-86-2 | 15 - 40 | * |
| CALCIUM CARBONATE | 1317-65-3 | 10 - 30 | * |
| TITANIUM DIOXIDE | 13463-67-7 | 10 - 30 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---------------------|--|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash skin with soap and water. |
| Inhalation | Remove to fresh air. |
| Ingestion | Never give anything by mouth to an unconscious person. Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician if necessary. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place
Store at temperatures not exceeding 35 °C/ 95 °F

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------------|--|--|--|
| PVC HOMOPOLYMER RESIN 9002-86-2 | TWA: 1 mg/m ³ respirable particulate matter | - | - |
| CALCIUM CARBONATE 1317-65-3 | - | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| TITANIUM DIOXIDE 13463-67-7 | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust | IDLH: 5000 mg/m ³ |

NIOSH IDLH *Immediately Dangerous to Life or Health*

| Chemical Name | Alberta OEL | British Columbia OEL | Manitoba OEL | New Brunswick OEL |
|------------------------------------|---------------------------|---|---------------------------|---------------------------|
| PVC HOMOPOLYMER RESIN 9002-86-2 | - | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | - |
| CALCIUM CARBONATE 1317-65-3 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³ | - | TWA: 10 mg/m ³ |
| TITANIUM DIOXIDE 13463-67-7 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |

| Chemical Name | Newfoundland OEL | Northwest Territories OEL | Nova Scotia OEL | Nunavut OEL |
|------------------------------------|---------------------------|---|---------------------------|---|
| PVC HOMOPOLYMER RESIN 9002-86-2 | TWA: 1 mg/m ³ | - | TWA: 1 mg/m ³ | - |
| CALCIUM CARBONATE 1317-65-3 | - | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | - | TWA: 10 mg/m ³ STEL: 20 mg/m ³ |
| TITANIUM DIOXIDE 13463-67-7 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ |

| Chemical Name | Ontario OEL | Prince Edward Island OEL | Quebec OEL | Saskatchewan OEL | Yukon OEL |
|------------------------------------|---------------------------|---------------------------|---------------------------|---|--|
| PVC HOMOPOLYMER RESIN 9002-86-2 | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | - | - | - |
| CALCIUM CARBONATE 1317-65-3 | - | - | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³ |
| TITANIUM DIOXIDE 13463-67-7 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³ |

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles), if a risk assessment indicates this is necessary.

Skin and body protection

Wear protective gloves and protective clothing, if a risk assessment indicates this is necessary.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|--------------------------------------|--------------------------|-------------------------|--------------------------|
| Physical state | liquid | Odor | Low |
| Appearance | viscous | Odor threshold | No information available |
| Color | colored | | |
| Property | Values | Remarks • Method | |
| pH | 7 | | |
| Melting point/freezing point | No information available | | |
| Boiling point / boiling range | 232 °C / 450 °F | | |
| Flash point | 96 °C / 205 °F | CC (closed cup) | |
| Evaporation rate | No information available | | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limit in Air | | | |
| Upper flammability limit: | No information available | | |
| Lower flammability limit: | No information available | | |
| Vapor pressure | No information available | | |
| Vapor density | No information available | | |
| Specific Gravity | 1.4 | | |
| Water solubility | Insoluble in water | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient | No information available | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Kinematic viscosity | No information available | | |
| Dynamic viscosity | No information available | | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |
| Other Information | | | |
| Softening point | No information available | | |
| Molecular weight | No information available | | |
| VOC Content | 50 g/L | | |
| Density | No information available | | |
| Bulk density | No information available | | |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|--------------------|
| Product Information | No data available |
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|-----------------------|-------------|-----------------|
| TITANIUM DIOXIDE 13463-67-7 | > 10000 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------------------------|-------|----------|-----|------|
| PVC HOMOPOLYMER RESIN 9002-86-2 | - | Group 3 | - | - |
| TITANIUM DIOXIDE 13463-67-7 | - | Group 2B | - | X |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|--------------------------------------|--------------------------|
| ATEmix (oral) | 1226810 mg/kg |
| ATEmix (dermal) | 2418 |
| ATEmix (inhalation-gas) | No information available |
| ATEmix (inhalation-dust/mist) | No information available |
| ATEmix (inhalation-vapor) | No information available |

12. ECOLOGICAL INFORMATION**Ecotoxicity**

69.4 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION**DOT**

Not regulated

TDG

Not regulated

MEX

Not regulated

ICAO (air)

Not regulated

IATA

Not regulated

IMDG

Not regulated

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

| |
|-----------------------------------|
| 15. REGULATORY INFORMATION |
|-----------------------------------|

| | |
|---|------------------------------|
| <u>International Inventories</u> | On Inventory (Yes/No) |
|---|------------------------------|

| | |
|----------------------|-----|
| TSCA | Yes |
| DSL/NDSL | Yes |
| EINECS/ELINCS | Yes |
| ENCS | Yes |
| IECSC | Yes |
| KECL | Yes |
| PICCS | Yes |
| AICS | Yes |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical Name | California Proposition 65 |
|-------------------------------|---------------------------|
| TITANIUM DIOXIDE - 13463-67-7 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------------------|------------|---------------|--------------|
| PVC HOMOPOLYMER RESIN 9002-86-2 | X | - | - |
| CALCIUM CARBONATE 1317-65-3 | X | X | X |
| TITANIUM DIOXIDE 13463-67-7 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u> | Health hazards 1 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 1 | Flammability 1 | Physical hazards 0 | Personal protection B |

Issue Date 27-Jul-2015
 Revision Date 15-Mar-2017
 Revision Note
 SDS sections updated 4 7 8

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet